9.0 FENSTRATION PRODUCT RATING CERTIFICATE (IP)

	· ·						OVERALL RATING		
							U-factor: (Btu/h·ft²·°F)		
Certificate Authorization						SHGC:			
						VT:	-		
Name:						Company:			
nano.									
Signature: Date:									
STIPULATES THAT THE MATERIALS LISTED ON THIS CERTIFICATE WERE INSTALLED ON THE PROJECT IDENTIFIED BELOW									
	PROJECT INFO		RIALS LISTED	UN IMIS CERTIF	TCATE WERE	INSTALLED	IN THE PROJECT IDENTIFIED BELOW		
	Street Address:								
	City:						State: Zip:		
	,						'		
	GLAZING CONTRACTOR / INSTALLER:						Contact Person:		
	Street Address:						Phone Number:		
	Street Address.					Fibrie Nulliper.			
	City:						State: Zip:		
	GLAZING MATERIAL SUPPLIER:						Contact Person:		
TABLE 1 - GLAZING	Street Address:					Phone Number:			
	City:					State: Zip:			
	Glass and Spacer Type:						#		
	l "								
-	Center-of-glass (C.O.G.) U-factor:					Center-of-glass (C.O.G.) SHGC: Center-of-glass (C.O.G.) VT:			
	Btu/h-ft ² .°F FRAMING MATERIAL SUPPLIER:					Contact Person:	_		
	YKK AP America Inc					David Warden			
	Street Address:						Phone Number:		
	101 Marietta Street NW, Suite 2700						678-838-6000		
TABLE 2 - FRAMING	City: Atlanta						State: Zip: Georgia 30303		
	U-factor Matrix					Georgia			
	Btu/h·ft ² ·°F		SHGC Matrix		VT Matrix		Product Line:		
	C.O.G.	Overall	C.O.G.	Overall	C.O.G.	Overall	YWW 60 XT SSG Pre-Glazed (1" GL)		
	U-factor	U-factor	SHGC	SHGC	VT	VT	Window Wall		
	0.48	0.54	0.75	0.66	0.75	0.65	The council actions for H forther OHOO and VT and		
	0.46	0.52 0.51	0.70 0.65	0.62 0.58	0.70 0.65	0.61 0.56	The overall ratings for U-factor, SHGC and VT are based on a size of 79 in. X 79 in. as		
	0.42	0.49	0.60	0.53	0.60	0.52	required in NFRC 100 and NFRC 200.		
	0.40	0.47	0.55	0.49	0.55	0.48		_	
	0.38	0.46	0.50	0.45	0.50	0.43	Overall U-factors, Solar Heat Gain Coefficients (SHGC) ar	nd	
	0.36	0.44	0.45	0.40	0.45	0.39	Visible Transmittances (VT) listed in the matrix were		
	0.34	0.42	0.40	0.36 0.32	0.40	0.35	determined in accordance with NFRC 100 and NFRC 200	0	
	0.32	0.41	0.30	0.32	0.30	0.30	respectively by an accredited, independent laboratory. ACCREDITED INDEPENDENT LABORATORY:	\dashv	
	0.30	0.39	0.30	0.27	0.30	0.20	intertek		
	0.26	0.36	0.20	0.19	0.20	0.17	Reference NFRC 100 Report #: J8380.02-116-45	\neg	
	0.24	0.34	0.15	0.14	0.15	0.13	Reference 507-07 Report #: J8380.01-116-45		
	0.22	0.33	0.10	0.10	0.10	0.09	Reference AWS Test Report #: K7902.02-450-32		
	0.20	0.31	0.05	0.06	0.05	0.04			
	0.18	0.29	Air Leakage less than or equal to 0.06 cfm/ft²				Directions: Fill out form completely. Determine the Overall Rating for this project by using the C.O.G. U-factor (winter-time), C.O.G. SHGC, C.O.G. VT from Table 1 and looking up the overall rating from Table 2. Indicate the Overall Rating in the		
	0.16	0.27	at a test pressure of 6.24 PSF when tested in accordance with (check one)					,	
	0.14	0.25	AAMA/WDMA/CSA 101/I.S.2/A440						
	0.12	0.24	X ASTM E283 (6.24 PSF)				space above. Linear interpolation is permitted.		
	0.10	0.22		NFRC 400					