## 9.0 FENSTRATION PRODUCT RATING CERTIFICATE (IP)

	OVERALL RATING		
	U-factor:	(Btu/h·ft <sup>2</sup> .°F)	
Certificate Authorization	SHGC:		
	VT:		
Name:	Company:		
Signature:	Date:		

Signa	ture:

	STIPULATES THAT THE MATERIALS LISTED ON THIS CERTIFICATE WERE INSTALLED ON THE PROJECT IDENTIFIED BELOW								
	PROJECT INFO	RMATION:							
	Street Address:								
	City:	Dity:					State: Zip:		
	GLAZING CON	FRACTOR / INS	TALLER:				Contact Person:		
	Street Address:						Phone Number:		
	City:						State: Zip:		
	GLAZING MAT	RIAL SUPPLIE	R				Contact Person:		
Ъ	Street Address:						Phone Number:		
- GLAZING									
GL/	City:	City:				State: Zip:			
<u> </u>							#		
TABLE	Glass and Space	er Type:							
TAE									
	Center-of-glass (C.O.G.) U-factor: Btu/h·ft <sup>2</sup> .°F						Center-of-glass (C.O.G.) SHGC: Center-of-glass (C.O.G.) VT:		
	FRAMING MAT	FRIAL SUPPLIE	R	Blu/II'll	· F		Contact Person:		
	YKK AP America Inc				David Warden				
	Street Address:					Phone Number:			
	101 Marietta	a Street NW	. Suite 270	)			678-838-6000		
	City:				State: Zip:				
	Atlanta				_ Georgia 30303				
		r Matrix	SHGC Matrix VT Matrix			Aatrix			
	Btu/h·ft <sup>2</sup> .°F SHGC Matrix VT Matrix				Product Line:				
	C.O.G.	Overall	C.O.G.	Overall	C.O.G.	Overall	YOW 350 T (Fixed)		
	U-factor	U-factor	SHGC	SHGC	VT	VT	Windows		
	0.48	0.55	0.75	0.63	0.75	0.62			
U	0.46	0.53	0.70	0.59	0.70	0.58	The overall ratings for U-factor, SHGC and VT are		
AIN	0.44	0.52	0.65	0.55 0.51	0.65	0.54	based on a size of $47-1/4$ in. X $59-1/16$ in. as		
RA	0.42	0.50	0.55	0.31	0.00	0.30	required in NFRC 100 and NFRC 200.		
ABLE 2 - FRAMING	0.40	0.43	0.50	0.47	0.50	0.40	Overall U-factors, Solar Heat Gain Coefficients (SHGC) ar	hd	
E 2	0.36	0.46	0.45	0.38	0.45	0.37	Visible Transmittances (VT) listed in the matrix were		
ABL	0.34	0.44	0.40	0.34	0.40	0.33	determined in accordance with NFRC 100 and NFRC 200		
ΗÈ	0.32	0.43	0.35	0.30	0.35	0.29	respectively by an accredited, independent laboratory.		
	0.30	0.41	0.30	0.26	0.30	0.25	ACCREDITED INDEPENDENT LABORATORY:		
	0.28	0.40	0.25	0.22	0.25	0.21	Architectural Testing		
	0.26	0.38	0.20	0.18	0.20	0.17	Reference NFRC 100 Report #: 82699.02-116-45		
	0.24	0.37	0.15	0.14	0.15	0.12	Reference 507-12 Report #: 82699.01-116-45		
	0.22	0.35	0.10	0.09	0.10	0.08	Reference AWS Test Report #: G231-0112-08 (S1)		
	0.20	0.33	0.05	0.05	0.05	0.04			
	Air Leakage less than or equal to 0.06 cfm/ft <sup>2</sup> at a test pressure of 6.24 PSF when tested in						<b>Directions:</b> Fill out form completely. Determine the Overall Rating for this project by using the C.O.G. U-factor (winter-time),		
			accordance wit		r or when teste	u ili	C.O.G. SHGC, C.O.G. VT from Table 1 and looking up the		
	AAMA/WDMA/CSA 101/I.S.2/A440					overall rating from Table 2. Indicate the Overall Rating in the			
	ASTM E283 (6.24 PSF)				space above. Linear interpolation is permitted.				
			NFRC 400				1		

AAMA 507-15 - 2008