

TABLE OF CONTENTS

**YVS 400 TU THERMAL TILT-IN HUNG WINDOWS
4" Depth**

YVS 400 TU TILT-IN SINGLE HUNG DETAILS (1/4 SIZE) Page 2 to 3


YVS 400 TU TILT-IN DOUBLE HUNG DETAILS (1/4 SIZE) Page 4 to 5

YVS 400 TU MULLION OPTIONS (1/4 SIZE) Page 6


TECHNICAL NOTES Page 7 to 8

*The latest installation instructions for this product are available at www.ykkap.com.


YVS 400 TU TILT-IN SINGLE HUNG




EXTERIOR VIEW



Section 1




Section 2




Section 3

Spiral Balance Shown
2 Pieces/Vent Location




Section 4


Spiral Balance Shown
4 Pieces/Vent Location



Section 5




Section 6




Section 7

Frame Width


SCALE: 1/4 SIZE



YVS 400 TU TILT-IN SINGLE HUNG
WITH HALF SCREEN



EXTERIOR VIEW




Section 1

Section 2A


Section 3A

Spiral Balance Shown
2 Pieces/Vent Location




Section 4


Spiral Balance Shown
4 Pieces/Vent Location



Section 5




Section 6A




Section 7A

Frame Width


SCALE: 1/4 SIZE




YVS 400 TU TILT-IN DOUBLE HUNG



EXTERIOR VIEW




Spiral Balance Shown
2 Pieces/Vent Location




Section 11


Spiral Balance Shown
4 Pieces/Vent Location




Section 12




Section 13




Section 14




YVS 400 TU TILT-IN DOUBLE HUNG
WITH FULL SCREEN




EXTERIOR VIEW



Section 8A




Section 9A




Section 10A

Spiral Balance Shown
2 Pieces/Vent Location




Section 11A


Spiral Balance Shown
4 Pieces/Vent Location



Section 12A




Section 13A





Section 14A



SCALE: 1/4 SIZE




YVS 400 TU MULLION OPTIONS



SECTION 38
HORIZONTAL
STACKING MULLION




SECTION 39



SECTION 40


VERTICAL
STACKING MULLIONS

SCALE: 1/4 SIZE




SINGLE HUNG

1. SIZE LIMITATIONS: (Based on AW-50 Designation)




FRAME WIDTH	FRAME HEIGHT
(A) MINIMUM SIZE 14" [355.6mm]	24" [609.6mm]
(B) 42" [1066.8mm]	99" [2514.6mm]
(C) 60" [1524.0mm]	67" [1701.8mm]
(D) 48" [1219.2mm]	99" [2514.6mm]
(E) 60" [1524.0mm]	78" [1981.2mm]
(F) MAXIMUM SIZE 60" [1524.0mm]	99" [2514.6mm]




FRAME WIDTH	FRAME HEIGHT
(A) MINIMUM SIZE 14" [355.6mm]	24" [609.6mm]
(B) 35" [1066.8mm]	99" [2514.6mm]
(C) 60" [1524.0mm]	54" [1701.8mm]
(D) 40" [1219.2mm]	99" [2514.6mm]
(E) 60" [1524.0mm]	63" [1981.2mm]
(F) MAXIMUM SIZE 53" [1346.2mm]	99" [2514.6mm]
(G) 60" [1524.0mm]	87" [2209.8mm]

2. HARDWARE LOCATIONS




▽ : LOCK LOCATION




DOUBLE HUNG

1. SIZE LIMITATIONS: (Based on AW-50 Designation)





FRAME WIDTH	FRAME HEIGHT
(A) MINIMUM SIZE	
14" [355.6mm]	24" [609.6mm]
(B) 42" [889.0mm]	99" [2514.6mm]
(C) 60" [1524.0mm]	67" [1371.6mm]
(D) 48" [1016.0mm]	99" [2514.6mm]
(E) 60" [1524.0mm]	78" [1600.2mm]
(F) MAXIMUM SIZE	
53" [1346.2mm]	99" [2514.6mm]
(G) 60" [1524.0mm]	87" [2209.8mm]



FRAME WIDTH	FRAME HEIGHT
(A) MINIMUM SIZE	
14" [355.6mm]	24" [609.6mm]
(B) 35" [889.0mm]	99" [2514.6mm]
(C) 60" [1524.0mm]	54" [1371.6mm]
(D) 40" [1016.0mm]	99" [2514.6mm]
(E) 60" [1524.0mm]	63" [1600.2mm]
(F) MAXIMUM SIZE	
53" [1346.2mm]	99" [2514.6mm]
(G) 60" [1524.0mm]	87" [2209.8mm]

2. HARDWARE LOCATIONS



▽ : LOCK LOCATION